**FEBRUARY 1986 VOL. 6 NO. 2 ISSUE 73** \$**2**<sup>25</sup> **©** 02927

MONEY SAVING ADS & ARTICLES

**CHALLENGER** HARD DISK Gives Apple IIe 20Mbyte Portable Power

In This Issue...

- Paradox An In-Depth Report
- Fall Comdex Wrap-Up
- By The Numbers by Les Solomon
- Financial Programs For TRS-80, Model 100
- The Sinclair QL Returns!



Logo & Apple IIe are registered trademarks of Apple Computer, Inc.

America's Mailorder Headquarters

vco Computei



IBM XT Compatible System \$1799 MidWest Micro-Peripherals & 1-800-423-8215



Microprocessors Unlimited, Inc.

(918) 267-4961

10mb 1/2 Height 225. 4164K 79¢ merican 30mb Hi Speed 660 256K 1.99 Semiconductor

Communications Electronics Inc. Premium Quality! 100% Error Free! Lifetime Warranty!

800-USA-DISK

For Apple SS/DD-40tk DS/DD

13 from 33¢ from 46¢ from 54¢

<sup>\$</sup>449 DEALER PRICE

IRWIN 1/2 HT Internal System w/Tape! PROTO PC INC. 612-644-4660 See Ad Index

1-800-237-5758

\$69. EA! KEYTRONIC KEYBOARD

Model 5150 (OEM) Mendelson Electronics Co.

See Ad Index 513-461-3525

### Don't Risk The Unknown

UNITECH (800)343-0472 IN MASS (617)"UNI-TECH"

Brand Name Diskettes at the Lowest Prices! Disk World! See Ad Index!



# ATARI

# **Applying The Atari**

Machine Language Alphabetizer, Halley's Comet Program

by Jeff Brenner

I hope you're putting last month's Personal Appointment Calendar/Editor to good use. This month we'll learn more about PACE, calculate data on Halley's Comet, and enter an alphabetizing program that features machine language sorting and storage capability. Let's first take a look at some letters...

#### Reader Mail

Q. I am a first time reader of your column - I am very impressed. I would like to make another comment. It's in the form of a question: Why is the Program Perfect code a three-digit or three-letter code when they all end in "J"? Why not truncate the third letter and you'll have more room than your readers are asking for? I was just wondering about that.

Michael Bonkowski Madison Heights, MI

A. You ask a very good question, since it does appear that the last character of the Program Perfect codes is always the same. This third character is used by Program Perfect to determine the next program line number for the automatic line numbering feature. Not only does this make it unnecessary to type line numbers when using Program Perfect, but

it ensures that all lines of the program are entered.

Since line numbers of the programs in this column usually step by 10 (10, 20, 30, etc.), this third character is most often a "I" (the tenth character of the alphabet). But there are times when the line. numbers do not continuously step by 10; September's Response Analysis Program is one example. In this program, the line numbers of the data statements (above 5000) step by varying amounts, and you can see that the third character in this listing changes appropriately. Additionally, the Program Perfect code of the last line of a program ends in a "Z". The "Z" signals Program Perfect to erase itself from memory.

Comment: I noticed in the 10/85 issue the problem you have had with the Basic B bug in the 800XL. Instead of getting the \$15 cartridge from Atari, I got a program from First Byte called Enhancements to BASIC. It not only eliminates the bug, but also upgrades Atari BASIC by adding some excellent functions such as TRACE and DIR (disk listing straight from BASIC). And best of all, it was only \$14.95. Their address is First Byte, P.O. Box 32, Rices Landing, PA 15357.

John A. Dunaway Goodlettsville, TN

Goodiettsville, 11

A. Thanks for the info!

**Book Review** 

# Robot Intelligence With Experiments & Project In Machine Intelligence by David Heiserman — Tab Books

Reviewed by John A. D'Angelo

Have you ever read the novel entitled "Flatland?" This book details the adventures of a being who inhabits a two dimension world, and the effect that a visit of a creature from a three dimensional world has on him.

For a time now I have been examining a 2 dimensional world which is inhabited by creatures of low intelligence who exist on the flat phosper screen of my computer monitor. The fascinating thing is that this world was created by a computer program as a study of artificial intelligence.

I am introducing to you two books written by Dave Heiserman entitled, "Robot Intelligence With Experiments (TAB 1191 \$10.95)", and "Project In Machine Intelligence For Your Home Computer (TAB 1391 \$10.95)", both books are available from TAB Books Inc. Blue Ridge Summit, PA 17214.

Dave Heiserman has written about a way to visualize artificial intelligence in action on your computer screen and uses a number of Basic subroutines to accomplish this.

First an area is created by placing a border along the edges of your computer screen, then an "Alpha creature" is created which looks like a small square. The creature is able to move about freely and also has the ability to be aware of its immediate environment. If the creature senses anything which restricts its movement it will stop moving and make a

continued on page 189

#### Newsletters

Another two newsletters were in the mail for this month. SPACE Probes is printed by the South-Central Pennsylvania Atari Computer Enthusiasts (P.O. Box 11446, Harrisburg, PA 17108-1446). A-BUG-BYTE Newsletter is printed by the Atari - Brookville Users Group (10781 West National Road, Brookville, OH 45309).

#### Halley's Comet Program

There are still a few months left to catch a glimpse of Halley's comet. Halley's Comet is a public domain program and is listed this month for those interested in calculating information about the comet. When it is run, the program will ask you to enter the year, the month and the day. It will take about 20 seconds to calculate and will then display the comet's geocentric right ascension (RA) and declination (DEC), distance from the sun and earth in astronomical units, predicted magnitude of brightness, and days to perihelion (the closest point to the sun). Angles are referred to the ecliptic and equinox of 1950.

After the calculations are displayed, you are given the option of making another calculation or getting a printout. Figure 1 shows a sample calculation printout for the date February 6, 1986.

maining features of last month's feature program, the Personal Appointment Calendar/Editor.

#### **Password**

As mentioned last month, when

#### DATA FOR COMET HALLEY

DATE: M/D/Y=2/6/1986
DAYS TO PERIHELION....-4

COORDINATES: epoch 1950
RA :.....21HRS 8MIN
DEC:....-9DEG 41MIN

PREDICTED MAG.....3.5

FIGURE 1

You astronomers out there may want to personalize the program to calcculate data for your particular latitude and longitude, or add additional features and calculations, such as data for a specific time of day. Have fun and good luck comet-gazing!

More About PACE Now we'll learn about the reyou create an appointment file when you use PACE for the first time, you're asked to enter a password. You can enter a password to protect your appointment calendar from peering eyes, or you can just press RETURN if you do not want a password. If you do choose a password, you'll

continued on page 70

## HabaWriter Word Processor for the Atari 520ST List price: \$74.95

by Clay Houston

I am typing this review on the HabaWriter Word Processor while I'm learning the operation. I am not a novice to word processors as I have access to some high quality, versatile systems and my first impression of the HabaWriter is that it's GOOD. I had a little trouble getting use to the various key control from memory but now that I'm getting up to speed, I find more and more good features.

The disk is protected but you can use it in a two drive setup as long as you keep the master in "A" when booting or in a one drive arrangement by booting with the master and then swapping to your work disk. Having a two disk setup with second and a double sided one, I elected to copy all to "B" leaving the master in "A" and eliminate the wear and tear on the master. You can get a master replacement by sending \$10 and your original to Haba.

I then double clicked

WRITER.PRG in Disk B and after a short commercial the outline of Figure 1 appeared. It has seven (7) drop down menus which will basically lead you through the system. There is a cursor, a mouse pointer that flips back and forth between an arrow and an "I" (for insert), a ruler, horizontal and a vertical scroll bars and the status bar which

shows page, line and character number. Also on the screen is the Ruler line which shows the current Tab settings, the left and right typing limits and the 'H' for the Hot Zone where words should be divided at the end of the line. The little triangles denote where the Tabs are set.

continued on page 187

## **Atari Help**

by Jeff Brenner

Q. I have an Atari 400 computer which is used by my preschool children. They easily use the cartridge programs available but cannot load our cassette programs. They also have trouble waiting for me to load them. Since we have several good programs on cassette, I am looking for a way to convert these cartridges. Is there such a procedure? If so, where may I have it done and what would be the approximate cost?

Glenda York Prattville, AL

A. Unfortunately, it is impratical to store your cassette programs in cartridge form. First of all, the progams would have to be in machine language (programs that load by pressing START when you turn on the computer). BASIC programs (those that load with CLOAD) could not be placed in cartridge form. Second, even if the programs were in machine language, they would have to be relocated to run in the memory area that the cartridge uses. Relocating a program is a tedious, complicated task and you would need to know a good deal about machine language to do it. Third, the cartridge making procedure itself (you would need an EPROM burner and blank EPROMs) is not simple.

A disk drive is a much more feasible solution, although I do not know if you had this kind of investment in mind -- the Atari 1050 is currently being sold for around \$150. With a disk drive, programs could be loaded by turning the disk drive on, inserting the diskette and turning the computer on. Diskette programs can be made to run automatically once they are loaded. I know of several families in which the preschool children have learned to use the disk drive. The disk drive is also much faster than the cassette recorder, has a greater variety of software available for it, and lends itself to more serious applications.

O. We bought an Atari computr set-up comprised of the following: Atari 800XL, (2) 1050 disk drives, 1027 printer, 1010 recorder and modem. My question to you is about this modem. Will it work with this system? The box containing my modem says "THE COM-MUNICATOR II Atari 400/ 800 Computer System." It contains a TELELINK II program cartridge, an Atari 835 directconnect modem plus literature.

Also, I would like to brag

about Atari: I complained about the "B BASIC" in my 800XL and they promptly sent me a cartridge of "C" BASIC - YEAH ATARI! Computer Shopper is great, very helpful and informative.

Kenneth W. Faries Nacogdoches, TX

A. The Atari 835 modem was released when the Atari 400 and 800 models were still in production, and was designed to match the color and style of the Atari 400/800. The newer-Atari 1030 directconnect modem was designed to match the XL series. The 835 is otherwise compatible with the 1030 and should work fine with your 800XL and the Telelink II cartridge. Of course, the best way to see if the modem works is to hook it up and try it out! You can start by calling some Atari bulletin boards listed in Computer Shopper's bulletin board sectin. Good luck!

I'm glad to hear that Atari sent you the revision C BASIC cartridge at no charge. Unfortunately, many Atari owners, including myself, had to part with fifteen bucks to get it. I have always felt that Atari should have provided revision C BASIC at no charge to those Atari owners who got stuck with revision B.

O. I am a fairly new reader of Computer Shopper and I think your Atari column is great. Can you tell me if it is possible with an Atari 800 and a modem to access any BBS or data bank or can you only reach other Atari systems?

Jerry Burt Greenville, PA

A. One of the most important aspects of the modem is that it converts the output from a computer to a standarized signal that can be sent along the phone lines and interpreted by any other modem (using the same baud rate, of course). This allows virtually any two computers to communicate with each other. Hence, your Atari 800 can send and receive text to and from an Apple II + a Commodore 64, or an IBM PC. You can even communicate with an Amiga, An Atari ST, or a Macintosh. Sometimes a specialized terminal program is used by both the receiving and sending computers to provide features such as special text formatting or graphics images. For the majority of BBS's however, any communications software, such as Telelink, will be adequate.

If you want to download software you would have to be

sure the programs are Atari compatible, since you would be running the actual program on your computer. There are plenty of BBS's that cater specifically to Atari owners and offer Atari-compatible public domain programs that can be downloaded. See Computer Shopper's "Bulletin Board" section this issue.

Q. I won an Atari 1027 printer and, as you know, this will not use more than one sheet in the rollers. Consequently, adhesive address labels are out. Instead I use Avery labels (nr. 5357) making a master sheet of the addresses and then photocopying them. The problem: If there is a list of more than 30 addresses (or one sheet) the printer must be stopped to allow for inserting a fresh sheet of paper, but how am I going to resume printing where I left off? Is there a way to do so?

Niek Vanerlee Kingston, ON, Canada A. Here is a simple one-line solution that will allow you to

interrupt printing and continue at any time:

1241 IF PEEK(764) = 33THEN 1241

To pause printing, press the space bar. Printing will stop as soon as the program finishes printing the current address. Printing can be resumed by pressing any other key.

This will allow you to change label sheets when you are printing more than a page of addresses. Just press the space bar while the last address on the sheet is being printed. When this address has been printed, the program will pause and you will be able to insert and position a new sheet. Pressing any other key will then continue the printing.

Q. I have typed in Super Clock (Computer Shopper, October 1985) and have attempted to change the clock to a 24-hour format. I have not been successful so-far. (HELP!) Hendell Helfrick

Springfield, OH

A. Following is a listing of modifications and additions that can be made to Super Clock for a 24-hour format, To change the clock display, modify lines 50, 60, 300, 380

it works: First add or modify the following lines on you Mailing List program (Lines 1270 and 1320 are changed, while lines 1245 and 1246 are added). Now, when entering the name on the first line, you can use the slash (/) to specify the beginning of a new line. When printing labels, the program will now change these slashes into line-feeds so the data following it will be printed on the next line. The program will automatically adjust for the extra line when printing so that the labels following are not "pushed"

CHANGES FOR 24-HOUR CLOCK:

50 FOR T=0 TD 360 STEP 15:POSITION 19+SIN(T)\*16,11-CDS(T)\*9.75
60 PRINT T/15;:NEXT T
300 IF H>24 THEN H=H-24
380 POKE 706,PEEK(705):PDKE 705,S\*4:IF PEEK(764)=33 THEN FL=0:GDTD 410
400 H4=15\*(H+H/120):MA=6\*M
425 IF PEEK(764)=33 THEN 200 Listing 1

CHANGES FOR 4-LINE MAILING LIST:

1245 SKP1=0:FOR J=1 TO LEN(NAME\$):IF NAME\$(J,J)<>"/" THEN NEXT J:GOTO 1250 1246 NAME\$(J,J)=CHR\$(155):SKP1=SKP1+1:NEXT J

1270 IF 0=0 THEN NAME25=NAME5:ADDRES:1525=CSZ\$:GOTO 1282 1320 FOR I=1 TO VS-SKP1:PRINT #5:NEXT I:GOTO 1240

Listing 2

and 400 and add line 425.

Q. How can I change Mailing List (Computer Shopper, June 1985) to a four-line program. I would like to have, say, a principal's name on one line and a school's on another

Eugene Curtis Toledo, OH

A. The entire architechture of Mailing List's data structure is based on the three line format (plus additional characters for the category). Therefore it is not a simple task to modify the program for four lines. However, there is a way around this, and it involves splitting the first line up into two or more lines. Here's how

down by the additional line.

While this is a clever method of obtaining the four lines, there are two limitations: First, the total number of characters on the first and "extra" lines cannot exceed the number of characters (32) normally allocated for the first line. Second, whenever labels utilizing this extra line technique are to be printed, only single-column printing can be used; the extra line will interfere with doublecolumn label printing.

Address Atari-related questions to: Jeff Brenner, "Atari Help", c/o Computer Shopper, P.O. Box F, Titusville, FL 32781-9990.

#### **Applying The Atari** continued from page 69

be given three chances to enter it correctly whenever you run the program. After the third try, the program will erase itself (the data - namely your appointments - is saved on the disk and will not be erased). This is why it is a good idea to choose a password you can remember, or otherwise choose no password at all. Each member of the family can have his or her own "plan diskette," and password, if wanted.

#### **Defining Control Keys**

One feature that was not discussed last month is the controlkey redefinition. After you enter "Y" to the "Want to enter appointments?" prompt, you're asked if you want to define the control keys. You can define up to ten control keys, from CONTROL-A to CONTROL-J, and each key can

continued on page 185

#### INSTANT ALPHABETIZER

INSTANT ALPHABETIZER

ONLY 10 REM INSTANT ALPHABETIZER

GGJ 20 REM WITH MACHINE LANGUAGE SORTER

GHJ 30 REM COPYRIGHT 1996 JEFF BRENNER

RWJ 40 LN=38

HJ 50 DIM ABC\$(109), IN\$(257), SP\$(255), D\$(25), IO\$(7): IN\$(257)=CHR\$(0)

AKJ 60 MAX=INT((FRE(0)-500)/LN):DIM DAT\$(MAX\$LN):DAT\$(MAX\$LN)=CHR\$(0)

YIJ 70 TRAP 1010:GDSUB 1040:SP\$(1)=CHR\$(32):SP\$(255)=CHR\$(32):SP\$(2)=SP\$

NNJ 80 DPEN \$1,4,0,"K:"

WHJ 90 TRAP 1010:CLOSE \$3

90 TRAP 1010:CLOSE #3

100 PRINT CHR6(125);;PDKE 85,10:INS="INSTANT ALPHABETIZER"

110 FOR I=1 TO LEN(INS);PRINT CHR6(ABC(INS(I,I))+128);:NEXT I:PRINT

120 PDKE 85,10:PRINT CHR6(40);CHR6(99);CHR6(41);"1986 JEFF BRENNER"

130 POSITION 2,4:PRINT "<E>NEW LIST TO BE ALPHABETIZED":PRINT

140 PRINT "<LODAD A PREVIOUSLY SAVED LIST ":PRINT

150 PRINT "<D>:SPLAY ALPHABETIZED LIST ON SCREEN":PRINT

160 PRINT "<PRINT ALPHABETIZED LIST ON PRINTER.":PRINT

170 PRINT "<ADD ITEMS AND RE-ALPHABETIZE :PRINT

180 PRINT "<R>EMOVE ITEMS FROM LIST ":PRINT

190 PRINT "<S>AVE ALPHABETIZED LIST":PRINT

200 GOSUB 940

EJJ 200 60SUB 940

KPJ 210 IF C=0 AND N<>69 AND N<>76 THEN 310

TVJ 220 PRINT CHR\$(125);

PWJ 230 IF N=69 THEN C=0:60T0 330

UAJ 240 IF N=65 THEN C=C+1:60T0 330

SWJ 250 IF N=68 THEN 480

SWJ 250 IF N=69 THEN 520

SZJ 270 IF N=80 THEN 590

SRJ 280 IF N=82 THEN 510

SWJ 290 IF N=83 THEN 830

400 FOR C=C TO MAX:PRINT

SWJ 290 IF N=83 THEN 830
AGJ 300 GDSUB 1000:60TD 90
GRJ 310 PRINT CHR\$(125); "NO ITEMS IN MEMORY YET"
MCJ 320 PRINT "HUST ENTER OR LOAD ITEMS":60TD 500
JPJ 330 PRINT "YOU CAN ENTER UP TO "; MAX;" LINES"
DGJ 340 PRINT "OF ";LN;" CHARACTERS EACH."
DJJ 350 IF CHMAX THEN PRINT "YOU HAVE REACHED MAXIMUM @ OF ENTRIES":60TD 500
KYJ 360 PRINT "TYPE EACH ITEM AND PRESS RETURN."
RVJ 370 PRINT "PRESS RETURN ON AN EMPTY LINE WHEN"
GDJ 380 PRINT "FINISHED ENTERING ITEMS."

RBJ 390 IF C=0 THEN C=1

410 PRINT :PRINT "ENTRY B":C:":":INPUT #16:ING:IF LEN(ING)=0 THEN 450

program continued on page 186

### Trivia Mania

by Jeff Brenner

The phenomenol success of the board game, Trivial Pursuit, has spawned hundreds of imitations and spinoffs, and for good reason: Trivia has been synonymous with big-bucks over the past two holiday seasons and everybody is trying to grab a share of the trivia market. Software manufacturers are no exception, and one of the newest entries into the computer trivia genre is Trivia Mania, from XLENT software.

As with most trivia games, the object of Trivia Mania is to score the greatest number of points by answering questions that exist mainly for the pur-

Applying The Atari continued from page 70

be programmed to "hold" up to 24 characters. This feature is ideal for plans that repeat often during the month or year. For example, if you play tennis every Thursday, you could define CONTROL-A to be "8:30 PM Tennis club." Then, when entering appointments for any Thursday, you could press CONTROL-A and "8:30PM Tennis club" will be added to the screen. You could also define other keys for "Pay bills," "10:00AM Chemistry Class," etc.

**Important Entries** 

As mentioned briefly last month, you can place an asterisk (\*) at the beginning of any appointment line on the PACE Appointment Display, and you will be reminded of that appointment when it is within seven days away. Such plans will be displayed on the 'Upcoming Important Entries" screen that follows the "Tomorrow's Appointments" display. This feature is perfect to use with birthdays, deadlines, or any other dates for which you would need a reminder several days in advance.

#### Setting the Year

When setting the present date or choosing a date to enter appointments, the display shows the year 1985 and can be moved up to 2000 with the OP-TION key. To make the program start by displaying 1986, change line 30 to:

30 MIN = 1986

This will save you from having to press the OPTION key to change the year each time you enter the date. The original program started with 1985 since most COMPUTER SHOPPER subscribers received the January 1986 in 1985. Next year you could change

pose of being answered. Unlike other trivia computer games, though, such as Suncom's Pary Quiz, Trivia Mania, which bills itself as "The Trivia Construction Set," lets you create your own trivia questions and answers. Sadly, however, this nice feature by itself does not compensate for this program's lack of playability.

The Game

Included in the software package are two double-sided diskettes. The first diskette contains the main program on one side and a trivia databases on the other. The second diskette contains two additional database, one on each side.

this line to MIN = 1987, and so forth.

Since the program uses 366 records, a particular day of any year is stored in a record for that day. Hence, February 15, 1986 and February 15, 1987 are the same record. It is still possible however, to make appointments for more than one year in advance. In this case, you either label a line of February 15, 1986 screen "1987:." Then when PACE cycled back around the February in the year 1987, you could delete the 1986 data and make note of the 1987. Or, you can use a completely different data diskette that you could label, "1987."

The trivia databases contain material covering six categories: general trivia, sports trivia, movies trivia, television trivia, commercials/ads trivia and science trivia. Each database contains 100 questions per category. Three databases and six categories give you a total of 1800 questions.

Questions are chosen randomly from the database of a particular category. Before questions are given, you can choose to have the correct answer displayed when a question is answered incorrectly. The questions themselves are not the challenging, reallysearch-your-memory type that

#### Instant Alphabetizer

This month's feature program is a data alphabetizer that uses a machine language sort for super fast operation. The program also allows you to save and load alphabetized lists to and from diskette or cassette, delete items from an alphabetized list, add items to the list, or print the alphabetized list on the printer.

A similar type of program was the subject of the very first 'Applying The Atari" column (August 1984), but this program took a very long time to alphabetize, save or load data.

continued on page 186

with

Modular

Expansion

Capabilities

Just \$75.00

plus

\$3.25 P & H

TRE-00 IS 8 REGISTERED

TERDERREK OF TRADY

CORPORATION

NEW TRS-80 Model III Application

SASSE FREEDOM FILE

NE LUE

SASSE has wordprocessing & multi-tasking cap-

abilities: plus Memoir, a powerful disk note pro-

cessor. SASSE enables you to (1) create files or

memos and save them to disk; (2) call the HELP

operation; (3) print or sort a file while simul-

taneously performing operations on two other

\$39.95 + \$2.25 P&H, MEMOIR Executive Free

&H. CALL OF WRITE for our FREE CATALOG.

tasks; and, (4) stack 8 windows of various infomation at one time. OTHER PRODUCTS- RAM

TREK IV - Model IV Disassembler with windows ...

Form Note Processor with Windows for the Model

III, IV (Mode III) \$39.95+\$2.25 P&H. WINDOWPAD

a Integrated Windowing & Note Processing Utility

for the Model I, III, IY (Mode III) \$20.00 + \$1.25 P

EN FLEUR CORP. 2494 Sun Valley Circle, Silver Spring, Maryland 20906 (301) 598-4532

or OPERATIONS MANUAL in the midst of an

READREN

22013

ERESE A VEIT PONERFUL 'SUL-OPERATINE'EYETEN DESIGN Y O AROUND THE MODEL III. USING EIN<u>CALEEXE ONIE IN MAR DEX</u>OF

BF

STETER

PHENE 381 548 532...

KEEP YBUREYE BA EA FLEIR...

you would find in a Trivial Pursuit game. Rather, most of the questions in the Trivia Mania databases deal with contemporary facts, and real trivia-buffs may be disappointed. Following are some

typical questions:

- Q. Snatches and clean jerks sports:
- 1) Weight Lifting
- 2) Housekeeping

continued on page 190



Dual processor speed 4.77 MHz and 7.00 MHz °295₽



most advanced Mother Board available!

- parity check Hi-speed (6.67MHz!) 8088-2 CPU micro-
- co-processor optior 8K **TURBO** BIOS
- 640K (64K-640K selecta-ble) RAM on-board with parity check Hi-speed (6.67MHz!) IBM PC pinpoint
- 4 layer printed circuit board 2 rows of 256K RAM chips 2 rows of 64K RAM chips

### CPU microor with 8087 math essor optional PBM PC pirpoint compatible power connector essor optional PBM PC pirpoint compatible power connector 8 channel interrupt 8259 8 I/O slot XT standard 2 rows of 64K RAM chip Same dimensions as the IBM XT motherboard Full IBM XT compatibility 4 channel DMA 8237-5 System Components



XPC-XT Motherboard

allowing high production yie

Features a clean 2-layer design allowing high production yield at a low cost with all add-on RAM fully socketed, as well as sockets for all major IC's. BOA-6058-00



135W \*89° Add-On Power 150W \*115°°
IBM Hard Disk replacement types, 135/150 Watt, New High
Velocity Whisper Fan, will easily run 2 Floppys, Hard Disk and
Tape Back-up. 135W POW-1040-00 150W POW-1044-00

Stndrd \*59°°IBM Style KybrdsSelectric\*99° These quiet alternative Selectric type keyboards will bring the features you have been wanting to a price you can't resist.Stndrd KEY1050-00 Selectric KEY1051







PROM Laser by XOR

PROM Laser by AUR
Hi-speed algorithmes will burn 2716, 2732, 2732A, 2764 (in 52 sec), 27128, 27256 EPROMS under software control right in your PC
BOA-8640-00




Super 12 PAK Multifunction
Features Parallel Port, Serial Port, Game Port, Clock/Calendar,
Expand to 384K, all cables, PrintSpooler and RAM Disk SoftBOA-6335-00





7 PAK Multifunction
Features Floppy Controller, Parallel Port, Serial Port (optional 2nd Serial), Game Port, Clock/Calendar, RAMdisk, PrintSpooler, all cables & manuals

BOA-6250-00



Color Graphics Adaptor

Supports two levels of graphics and text in monochrome or color. Low resolution 320 x 200 pixel, high resolution 640 x 200 pixel BOA-6200-00




**Hard Disk Controller** Handles 1 or 2 drives, 5 to 140 megabytes with minimum soft-ware configuration. Features DOS 2.1 & 3.1 compatibility, and ST-506 Interface BOA-8060-00

\*135\*



**Hi-Resolution Mono Graphics** This Hercules type board will run 1-2-3 software with a true full screen, high resolution of 720h x 348v pixels BOA-6150-00





Floppy Disk Controller

\*59°°
Runs from 1 to 4 Floppy Disk Drives, 48 TPI, SS/DD or DS/DD.
Includes floppy controller cable, completely tested & ONE BOA-6100-00 YEAR Warranty. . .



Real Time Clock/Calendar

The optimum Clock/Calendar for your PC. Battery back-up to keep your disk log up-to-date every time you "boot-up". Software included.


BOA-6375-00



2 Serial \*4200 Short board Serial RS-232C port with optional Second port. BOA-6300-00



1 Parallel Short board Centronics Paralle port interface card w/manual for your PC ... BOA-6310-00



714/898-0840

Fax: 714/897-3363 International Telex: 887841 XORDATA HTBH 15392 Assembly Lane, Unit A • Huntington Beach, CA 92649

#### Instant Alphabetizer continued from page 70

420 IF LEN(INe)
420 IF LEN(INe)
430 DATS(CSLN-LN+4,CSLN+3)=INS
430 DATS(CSLN-LN+4,CSLN+3)=INS
440 NEXT C:PRINT "HAXINUM ITEMS REACHED.":50T0 470
450 C=C-1:IF C>1 THEN A=USR(ADR(ABCS),ADR(DATS)+3,C,LN)
460 GOTD 90
470 C=C-1:A=USR(ADR(ABCS),ADR(DATS)+3,C,LN):50TD 500
480 POKE BS,4:PRINT "PRESS CONTROL-1 TO PAUSE/CONTINUE"
490 PRINT :FOR I=1 TO C:PRINT I;":";CHRS(32);DATS(I\$LN-LN+4,I\$LN+3):NEXT
500 PRINT :FORE BS,9:PRINT "PRESS (RETURN) FOR MENU";:POKE 764,255
510 EET 81.N:GRTD 90 MOJ 500 PRINT :POKE 85,9:PRINT "PRESS <RETURN) FOR MENU";:POKE 764,255
TSJ 510 GET #1,N:GOTO 90
RCJ 520 PRINT "PRINT WITH NUMBERED LINES (Y/N)?";:GET #1,N:PRINT CHR\*(N)
SYJ 530 SKIP=0:IF N=78 THEN SKIP=1:GOTO 550
VFJ 540 IF N<>89 THEN 520
XDJ 550 PRINT "TURN PRINTER ON AND PRESS <RETURN>":POKE 764,255
NOJ 560 GET #1,N:DEN #3,8,0,"P:"PRINT #3:FOR I=1 TO C
XBJ 570 IF SKIP=0 THEN PRINT #3;I;":";CHR\*(32);
PAJ 580 PRINT #3;DAT\*(I\*LN-LN+4,I\*LN+3):NEXT I:PRINT #3:GOTO 90
JFJ 590 PRINT "LOAD FROM CASSETTE OR DISK (C/D)";
GCJ 600 GET #1,N:PRINT CHR\*(N):IF N=67 THEN D\*\*"C:":I=128:GOTO 650
TGJ 610 IF N<>68 THEN 90
EIJ 620 I=0:D\*\*"D:"PRINT "ENTER FILENAME: ";:INPUT #16;IN\*
SEJ 630 IF IN\*(2,2)=":" OR IN\*(3,3)=":" THEN D\*\*"IN\*:GOTO 650
SLJ 640 D\*(LEN(D\*)+1)=IN\* SEJ 630 IF IN\$(2,2)=":" UK IN\$(3,0)

SEJ 640 D\$(LEN(D\$)+1)=IN\$

GVJ 650 POKE BB1,0:DPEN \$3,4,I,D\$:POKE BB9,255

VFJ 660 H=INT(ADR(DAT\$)/256):L=ADR(DAT\$)-H\$256:POKE BB5,H:POKE BB4,L

VWJ 670 POKE BB2,7:A=USR(ADR(ID\$),4B)

JHJ 680 LN=ASC(DAT\$(1)):H=ASC(DAT\$(2)):L=ASC(DAT\$(3))

CRJ 690 C=L+256\$H

TDJ 700 PRINT "DATA HAS BEEN LOADED":CLOSE \$3:GOTO 500

OLJ 710 IF C<=1 THEN PRINT "ONLY ONE ITEM IN MEMORY\*:GOTO 500

KSJ 720 PRINT :PRINT "ENTER NUMBER OF ITEM TO REMOVE OR O"

EKJ 730 PRINT "FOR MENU: ";

DIJ 740 TRAP 90:INPUT \$16:NUM:IF NUMC=0 THEN 90 730 PRINT "FOR MENU: ";
740 TRAP 90: INPUT %16; NUM: IF NUM<=0 THEN 90
750 IF NUM>C THEN PRINT "NO SUCH NUMBER - USE DISPLAY OPT NON": 60TD 500
760 PRINT "ITEM %"; NUM; " IS: "
770 PRINT DATS (NUMSLN-LN+4, NUM\$LN+3)
780 PRINT "SURE YOU WANT TO DELETE THIS (Y/N)";: GET %1, N: PRINT CHR\$(N)
790 IF N<>89 THEN 710
800 IN\$(1)=CHR\$(255): IN\$(257)=CHR\$(255): IN\$(2)=IN\$
810 DAT\$ (NUM\$LN-LN+4, NUM\$LN-3)=IN\$: A=USR (ADR (ABC\$), ADR (DAT\$)+3, C, LN)
820 C=C-1: PRINT "THAT ENTRY HAS BEEN REMOVED. ": 50TO 500
830 PRINT "SAVE TO CASSETTE OR DISK (C/D)";
840 GET \$1. N: PRINT CHR\$(N): IF N=67 THEN D\$="C\*": I=128-50TO 890 840 GET #1, N: PRINT CHR\$ (N): IF N=67 THEN D\$="C: ": I=128: GOTO 890 USO IF N<>68 THEN 90
860 I=0:D\$="D:":PRINT "FILENAME TO SAVE UNDER: ";:INPUT \*16;IN\$
870 IF IN\$(2,2)=":" OR IN\$(3,3)=":" THEN D\$=IN\$:GOTO B90
880 D\$(LEN(D\$)+1)=IN\$
890 H=INT(C/256):L=C-H\$256:DAT\$(1,1)=CHR\$(LN):DAT\$(2,2)=CHR\$(H)
900 DAT\$(3,3)=CHR\$(L)

### 64K DRAM **OVER 1 MILLION IN STOCK!**



150 ns

**IBM COMPATIBLE** TANDON 100-2 EQUIVALENT

\*DOUBLE SIDED \*DOUBLE DENSITY

30-DAY GUARANTEE -

10 MG-SA 606

- 90-DAY GUARANTEE —

**LARGE QUANTITY BUYERS PLEASE!** Call for more floppies and hard disk drives available in stock!



(818) 998-7444 PRICES SUBJECT TO CHANGE



SZ & COMPANY

9036 OWENSMOUTH AVENUE CANOGA PARK, CA 91304

#### **Applying The Atari** continued from page 185

It also did not provide for deleting entries from the alphabetized list. A question from reader John M. Hirsch (Normal, IL) who asked how to delete entries from the August 1984 program inspired me to create a vastly superior version. With Instant Alphabetizer, alphabetization takes a few seconds at most, data is saved to or loaded from the disk drive or cassette much faster, and a delete function has been implemented. Now you can get those names, book titles, record albums, computer programs, etc. in alphabetical order more efficiently than ever.

Use Program Perfect to enter the program under the "Instant Alphabetizer" heading. When you run the program, a menu will appear with the following options: Enter new listing to be alphabetized, Load a previously saved list, Display the alphabetized list on screen, Print the alphabetized list on the printer, Add items and realphabetize, Remove items from list, Save alphabetized

When you use the program for the first time, you'll want to use the "Enter new list" function, so press E. Depending upon the memory of your machine, you will be able to enter a certain number of lines of 38 characters each to be alphabetized. A 48K or 64K Atari can handle over 600 entries of 38 characters each, which is probably more than you'll ever need. If you do need more entries, you can make the size of each entry smaller by changing the value of LN on line 40 from 38 to a lower value. For example, if you want to enter twice as many items, change line 40 to:

#### I.N = 19

You will now have a maximum of 19 characters per item. Similarly, you can increase LN if you need more characters per item but fewer items.

Enter each item and press RETURN on a blank line when done. Your list will be alphabetized and you'll be brought back to the menu screen. You can now save the data to cassette or diskette by pressing S.

Once an alphabetized list is in memory, you can press D to display the list on the screen, or you can press P to print it on your printer. When displaying on the screen, each item will be numbered so that you may refer to it if you want to delete it from the list. When you print the list to the printer, you'll be asked if you want to number each entry. Type Y if you want the entries to be numbered.

continued on page 187

```
910 POKE 881,0:0PEN #3,8,1,D#:PRINT #3;DAT#(1,C#LN+10)
920 REM H=INT(ADR(DAT#)/256):L=ADR(DAT#)-H#256:POKE 885,H:POKE 884,L
930 REM H=(C#LN+10)/256:L=(C#LN+10)-H:POKE 889,H:POKE 888,L
940 REM POKE 882,11:A=USR(ADR(IO#),48)
950 CLOSE #3:PRINT "DATA HAS BEEN SAVED":GOTO 500
960 H=PEEK(84)
970 POKE 702,64:POKE 694,0
980 POSITION 2,H:PRINT "SELECT: ";CHR#(32);CHR#(126);
990 GET #1,N:PRINT CHR#(N)::RETURN
1000 SOUND 0,50,6,4:FOK 1=1 TO 50:NEXT I:SOUND 0,0,0,0:RETURN
1010 PRINT "ERROR #";PEEK(195);" AT LINE ";PEEK(186)+256#PEEK(187)
1020 PRINT "TYPE ";CHR#(34);"CONT";CHR#(34);" TO RECOVER.":CLOSE #3:STOP
                        1030 GOTO 90
                    1030 60T0 90
1040 DATA 104,104,133,204,104,133,203,104,133,212,104,133,211,104,104,133
1050 DATA 209,165,203,133,207,165,204,133,208,162,0,134,210,134,213,232
1060 DATA 165,207,133,205,24,101,209,133,207,165,208,133,206,105,0,133
1070 DATA 208,160,0,177,207,209,205,240,4,144,9,176,27,200,196,209
1080 DATA 176,22,144,239,164,209,132,210,136,177,207,133,214,177,205,145
1090 DATA 207,165,214,145,205,136,16,241,232,208,2,230,213,228,211,208
1100 DATA 171,165,212,197,213,208,185,165,210,208,166,96
JI 1100 DATA 191,165,212,197,213,208,185,165,210,208,166,96
BKJ 1110 PRINT CHR$(125); "STAND BY..."

UCJ 1120 FOR I=1 TO 108:READ N:TOT=TOT+N:ABC$(I,I)=CHR$(N):NEXT I

WLJ 1130 IF TOT<>17407 THEN PRINT "CHECK DATA LINES 1040-1100":STOP

SYJ 1140 DATA 104,104,104,170,76,86,228

LLJ 1150 FOR I=1 TO 7:READ N:IO$(I,I)=CHR$(N):NEXT I

DKZ 1160 RETURN
   HALLEY'S COMET PROGRAM
YUJ 10 REM HALLEY'S COMET PROGRAM
CIJ 20 REM DRIGINAL PROGRAM BY ROGER BROWNE
NJJ 30 OPEN $2,4,4,"K:"
BIJ 40 DIM CO$(15),SP$(20),DT$(20),DA$(40)
    BIJ 40 DIM CD$(15),SP$(20),DT$(20),DA$(40)

XIJ 50 SP$(1)=CHR$(32):SP$(20)=CHR$(32):SP$(2)=SP$

WBJ 60 DT$(1)=CHR$(46):DT$(20)=CHR$(46):DT$(2)=DT$

TEJ 70 DA$(1)=CHR$(45):DA$(40)=CHR$(45):DA$(2)=DA$

IDJ 80 PI=3.14159265

ANJ 90 CD$="CDMET HALLEY"

EGJ 100 PH=1986.11

DVJ 110 PL=170.011
                       12Ø AN=58.1453
                       136 PY=76.0081
146 SM=17.9435
156 EO=0.967267
```

IJJ 170 GRAPHICS 0
SLJ 180 PRINT CHR\$(125);:POKE 85,14:PRINT CO\$:POSITION 20,0:PRINT CHR\$(255
XZJ 190 FOR I=1 TO 18:PRINT CHR\$(45);CHR\$(32);:NEXT I:PRINT CHR\$(45)
CPJ 200 POKE 85,11:PRINT "EPHEMERIS FOR DATES"
XYJ 210 POKE 85,10:PRINT "BETWEEN 1946 AND 2026"
XYJ 220 POKE 85,13:PRINT "BETWEEN 1946 AND 2026"
XYJ 220 POKE 85,13:PRINT "BY ROGER Browne":PRINT
GBJ 230 PRN=0:PRINT "INPUT YEAR: ";:INPUT #16;Y
UCJ 240 IF Y<1946 OR Y>2025 THEN 230
SHJ 250 PRINT "INPUT MONTH: ";:INPUT #16;M
JCJ 260 IF M<1 OR M>12 THEN 250
CMJ 200 PRINT "INPUT DAY: ";:INPUT #16;D
OWJ 200 PRINT CHR\$(125)::POSITION 15.10:PRINT "CALCULATING. " OWJ 280 PRINT CHR\$(125);:POSITION 15,10:PRINT "CALCULATING..."

OWJ 280 PRINT CHR\$(125);;PUSIT TEJ 290 X=PH IGJ 300 IF Y>=1986 THEN Z=1984 GKJ 310 IF Y<1986 THEN Z=1988 CBJ 320 IF Y>=1986 THEN S=0 YSJ 330 IF Y<1986 THEN S=1

GFJ 34Ø GOSUB 172Ø

SGU 350 DS=N PBU 360 B=(360/PY)\*(N/365.25) PIU 370 K=B GNU 380 GOSUB 1850 ISU 390 B=(K\*PI)/180 OWJ 466 F=R

160 10=162.239

17Ø GRAPHICS Ø

UNJ 400 E=B
VIJ 420 G=E-(Y1\*SIN(E))-B
RKJ 430 IF ABS(Q)<=1.7E-05 THEN 470
YJJ 440 U=Q/(1-(Y1\*COS(E))) 450 E=F-II

450 GOTO 420 460 GOTO 420 470 V=(SQR((1+Y1))/(1-Y1))\*(SIN(E/2)/COS(E/2))) 480 V=2\*ATN(V) LVJ 490 V1=(V\*180)/PI

LVJ 478 VI=(V1189)/PI
AMJ 500 L=V1+PL
XJJ 510 R=SM\*(1-(Y1\*Y1))/(1+Y1\*COS(V))
WGJ 520 F=L-AN
UHJ 530 F2=IO
KLJ 540 F1=(F8FI)/180 MLJ 550 F2=(F2\*PI)/180 AXJ 560 I=(SIN(F1)\*SIN(F2))

360 I=(SIN(F1)\*SIN(F2))
570 I=ATN(I/SUR(-I\$I+1))
580 P=ATN((SIN(F1)/COS(F1))\*COS(F2))
590 P1=(P\*180)/PI+AN
600 IF F>=90 AND F<=270 THEN P1=P1+180
610 IF P1<0 THEN P1=P1+360

LEJ 620 P=(P1\*PI)/180

JLJ 630 R2=R\*COS(I) JLJ 630 R2=R\$COS(1)
VNJ 640 X=1975
DXJ 650 IF Y>=X THEN Z=1972
BRJ 660 IF Y<X THEN Z=1976
WLJ 670 IF Y>=X THEN S=0
UCJ 680 IF Y<X THEN S=1

69Ø.GOSUB 172Ø IFJ 700 T=(360/365.25)\*(N/1.00004)
PYJ 710 K=T

GLJ **720 GOSUB 1850** QAJ **730 T=**K

HAD 758 FK LPJ 746 T1=(T\*PI)/180 BAJ 750 C=0.01672 YTJ 760 J=T+(360/PI)\*C\*SIN(T1-0.051943) GNJ 770 J=J+99.5343

GNJ 770 J=1499.5343 FJJ 780 IF J>360 THEN J=J-360 BFJ 790 IF J<0 THEN J=J+360 FUJ 800 H=((J-102.51044)\*FI)/180 FTJ 810 RI=(1-C\*C)/(1+C\*COS(H)) VAJ 820 U1=((FI-J)\*FI)/180 VCJ 830 U2=((J-PI)\*FI)/180

KBJ 840 1: R2(R1 THEN GOTO 900 RBJ 850 Q1=(R1\*SIN(U1))
IQJ 840 Q1=Q1/(R2-(R1\*COS(U1)))
GYJ 870 Q1=ATN(Q1)

88Ø Q2=(Q1\*18Ø)/PI+P1 89Ø GOTO 94Ø 966 Q3=(R2#STN(H2)) 910 Q3=Q3/(R1-(R2\*COS(U2))) 920 Q3=ATN(Q3) 930 Q2=(Q3\*180)/PI+J+180

LWJ 940 IF Q2>360 THEN Q2=Q2-360 HSJ 950 IF Q2<0 THEN Q2=Q2+360

HSU 950 IF UZ/U | HH:N UZ=UZ+360 NOU 960 Q4=(Q2\*PI)/180 IIJ 970 Q5=(R2\*(SIN(I)/COS(I))\*SIN(Q4-P)) YIJ 980 Q5=Q5/(R1\*SIN(UI)) HJJ 990 Q5=ATN(Q5)

KQJ 1888 E1=8.48893864 program continued on page 187

#### **Applying The Atari** continued from page 186

To delete an item, first display the list and get the number of the item you want to remove. Then press R for the remove operation and enter the number of that item. The item will be deleted from the list.

If you want to load a previously saved file, press L. You might then want to add items to this list by pressing A for the Add Items option. Add each item and press RETURN on an empty line when done. The added entries will be alphabetized together with the old entries and you can display, print, or save the new

#### Next Month

We'll enter an entertaining graphics program that will make you go to pieces. A digitized picture and more reader mail are in store too.

Readers' questions, com-ments and contributions are welcome. Please enclose a selfaddressed, stamped envelope (SASE) for a personal reply.

A diskette of the programs listed in this month's column is available from the author for \$7.00, postpaid. Please make checks payable to "Jeff Brenner" and specify your disk drive model.

"Program Perfect" is a utility used to check for typing errors while entering programs from this column. Readers may send a SASE for a listing or \$5.00 for a diskette of this program.

Address all correspondence to Jeff Brenner, "Applying The Atari 2/86", c/o Computer Shopper, P.O. Box F, Titusville, FL 32781-9990.

#### **HabaWriter** continued from page 71

#### Desk Menu

Figure 2 also shows the Desk menu. It's much like the standard Atari one with 'About.." VT52, Control panel, Set RS232, and Install printer.

#### File Menu

Figure 3 shows the File menu that contains New, Open, Close, several versions of Save to aid in interfacing with other systems. Preferences which are for tabs, inserting or replacing modes, showing markers and line counters, and finally the Quit which will inquire if you know you'll lose what you've just typed.

If you select Open you get Figure 4 which presents a list of all of the .DOC files you have stored and in this case, allows you to type in the one you are developing at this time.

Edit Menu This one has, as you can see in Figure 5 selectable items such as Cut, Copy, Paste, Paste Document, Clear, Move to

### Halley's program continued from page 186

1618 L1=(SIN(Q5) #COB(E1)) 1919 L1=(SIN(Q5) \$COB(E1)) 1926 L1=L1+(COB(Q5) \$SIN(E1) \$SIN(Q4)) 1936 M1=ATN(L1/SQR(-L1\$L1+1)) 1948 Y2=(M1#186)/PI 1956 B1=((SIN(Q4)/CDB(Q4))#CDB(E1)) 1868 H1=((SIN(Q5)/CDS(Q5))\*SIN(E1))/CDS(Q4)) 1878 G=ATN(B1) 1898 H1=(5\*188)/PI 1898 I1=INT(Q2/98) 1166 J1=INT(H1/96) 1188 J1=INT(H1/98)
1118 JF I1-J1=4 OR I1-J1=1 THEN H1=H1+368
1128 JF I1-J1=2 OR I1-J1=3 THEN H1=H1+198
1138 JF I1-J1=-4 THEN H1=H1+368
1148 JF I1-J1=-2 THEN H1=H1-188
1158 M1=H1/15
1168 W=INT((M1-INT(M1)) \$68+8.5)
1178 JF W=68 THEN M=8
1198 K1=ABS(Y2)
1198 K1=ABS(Y2)
1218 JF W1=68 THEN 65=51+1 1200 W1=INI(K1-INI(K1)) 1500+9:3)
1210 IF W1=60 THEN 61=61+1
1220 IF W1=60 THEN W1=0
1230 61=INI(K1)
1240 IF Y2<0 AND 61<1 THEN W1=-W1
1250 D1=R11R1+R24R2
1260 D1=D1-(28R11R24COS(U1)) 1276 D2=SDR(D1) 1276 D2=SQR(D1) 1296 R3=D2/CDS(I) 1296 K9=R 1366 GOSUB 1946 1316 R=K9 1326 K9=R3/16 1336 GOSUB 1946 1346 R3=K9#16 1340 R3=KY\$10 1350 MG=4.1:N=3.1 1360 IF D840 THEN MG=5:N=4.44 1370 MA=MG+5:0.4343:LOG(R3) 1380 MA=MA+N82.580.4343:LOG(R) 1390 MA=(INT(10\*MA))/10 1398 MA=(INT(100MA))/10
1400 IF Y2(0 THEN 61=-61
1410 PRINT CHR0(125); PRINT DA0(1,38): IF PRN THEN PRINT #1; DA0(1,38)
1420 POKE 85, 10; PRINT "DATA FOR "; CO0: PRINT
1430 IF PRN THEN PRINT #1; SP4(1,8); "DATA FOR "; CO0: PRINT #1
1440 PRINT "DATE: M/D/Y="; M; ","; D; ","; Y
1450 IF PRN THEN PRINT #1; "DATE: M/D/Y="; M; ","; D; ","; Y
1460 PRINT "DAYS TO PERIHELION....."; INT(D8)
1470 IF PRN THEN PRINT #1; "DAYS TO PERIHELION....."; INT(D8): PRINT #1
1480 PRINT 1488 PRINT "COORDINATES: epoch 1958"
1588 IF PRN THEN PRINT #1; "COORDINATES: epoch 1958"
1518 PRINT "RA : ";DTs(1;19);INT(N1); "HRS";SP\$(1,2);W;"MIN" 1518 PRINT "RA :";DT&(1,19);INT(N1);"HRS";SP&(1,2);W;"MIN"

1528 IF PRN THEN PRINT #1;"RA :";DT&(1,19);INT(N1);"HRS";SP&(1,2);W;"MIN"

1538 PRINT "DEC:";DT&(1,19);G1;"DEG";SP&(1,2);W1;"MIN"

1548 IF PRN THEN PRINT #1; "DEC:";DT&(1,19);G1;"DEG";SP&(1,2);W1;"MIN"

1558 PRINT "DEC:";DT&(1,19);G1;"DT&(1,19);G1;"DEG";SP&(1,2);W1;"MIN"

1558 PRINT "DISTANCES:":IF PRN THEN PRINT #1;"DISTANCES:"

1579 PRINT "COMET TO SUN";DT&(1,11);R;SP&(1,3);"AU"

1598 PRINT "COMET TO SUN";DT&(1,11);R;SP&(1,3);"AU"

1598 PRINT "COMET TO EARTH";DT&(1,9);R3;SP&(1,4);"AU"

1698 IF PRN THEN PRINT #1;"COMET TO EARTH";DT&(1,9);R3;SP&(1,4);"AU"

1698 IF PRN THEN PRINT #1;"COMET TO EARTH";DT&(1,9);R3;SP&(1,4);"AU"

16129 PRINT "PREDICTED MAG";DT&(1,18);MA

1638 IF PRN THEN PRINT #1;"PREDICTED MAG";DT&(1,18);MA

1648 PRINT DA&(1,37):IF PRN THEN PRINT #1;DA&(1,37)

1658 POKE 85,9:PRINT "PRESS # FOR ANOTHER DATE"

1668 IF DATE-ASC("#") THEN PRINT CHR&(125);:GOTO 1718

1698 IF DATE-ASC("#") THEN PRINT CHR&(125);:GOTO 1718

1698 PRINT CHR&(253):GOTO 1678


1789 PRINT CHR\$ (253):50T0 1678 1718 50T0 238 1728 A=(Y-Z)/4 1738 A1=INT(A+S)

UBJ 1746 N=365\*(Y-X+S)+A1 XLJ 1756 IF INT(A)<>A THEN GOTO 1776

Cursor, Show Clipboard and Select All. When you want to Cut a section of text you must first holding down the left mouse button and dragging the cursor to define the cut area as shown in Figure 6 and then move to the edit menu and click on Cut. It is put into a Clipboard area which you can also view as another text window and change and even paste back at a new location or

the original one. The Paste Document allows you to pull another document in from the disk and paste it at the location of the cursor. This has a lot of potential for mass production of letters such as typing one set of address files and then pasting each into a "one of a kind" letter.

Search Menu Figure 7 presents the Search continued on page 188



1766 IF (H=2 AND D<29) OR H=1 THEN N=N-1 1776 IF H>2 THEN SOTO 1816 1786 H2=H-1 1796 H2=31\*H2 1966 60TO 1836 XDJ 1818 M2=M+1 XTJ 1828 M2=INT(38.68M2)-63 QGJ 1838 N=N+H2+D-3658S 1846 RETURN 1856 IF K<8 THEN GOTO 1876 1846 IF K>348 THEN GOTO 1986 1878 K=K+368 1888 IF K>=8 THEN 60TO 1938 1898 60TO 1878 OWJ 1918 IF K<=368 THEN GOTO 1938 FNJ 1928 GOTO 1988 CZJ 1938 RETURN GCZ 1948 K9=INT(K9\$1888+8.5)/1888:RETURN

**DEALERS - RETAILERS - VARS Quantity Discounts** 

FREE Catalog - 100's of items CALL 714/898-0840 or write

\$125488 WOW!

Complete System! XPC TURBO

NEW Features! RAM Disk ■Game Port ■640K Capacity ■PrintSpooler Turbo mode 4.77MHz to 6.67MHz! Serial Port Parallel Port

\$174900 20 Meg H.D. \$1895°° 33 Meg w/Tape \$2679°°

10 Meg H.D.

Software **XWORD XBASIC XBASE** Massessiary) XCALC

#### Check These Standard Features:

Il-Size, Feather-Touch, Capacitance Keyboard, 10 Function Keys, Calculator-Type Numeric K
Parallel & Serial I/O • Real Time Clock • Game Port • 2-Slimline 5 1/4 \* DS/DD 48 TPI 360K Dri
• 8 IBM expansion slots • RAM Disk • Print Spooler • 4 DMA & 3 Timer channels
• Full 640K capacity on-board • 8088 16-bit CPU • Monochrome Video Card •
• Up to 32K of EPROM (full 8K supplied) • Supports PC-DOS • MS-DOS • CP/M-86 •
• Power Supply Hard-Disk-Ready, no need to add-on additional power •
• Hi-res 12 \* Monitor, Green/Amber Screen, 25MHz bandwidth •

### ☆ One Year Parts and Labor ☆

\*950

\$135°

\* 59\*\*

#### 300/1200 Baud **Hayes Compatible!**

■Real Time

Clock

Calendar

Hayes communications software FCC apprvd direct RJ-11 connection

e Cable & Power Supply one low price.

Phone Cable & Power, Supply one low price. Finally a price breakthrough on a Hayes compatible, external 300/1200 baud modem. This low price is without driver software, but if you need it add '25<sup>th</sup>. Call or a 26 page catalog of our special deals. Look in this spot every month for Hot, New items sure to catch your others. interest. MOD-8200-00 \*1990

**DRIVE SALE** 

■Panasonic ½ht. DRI-6675-00 \*105°°
■TEAC 55-B ½ht. DRI-6660-00 \*237°°

Western Digital Hard Disk Controller with 10 Meg

PC-XT Selectric Keyboards

BOA-6375-00 ON SALE

nple marked "5", F, & J keys

KEY-1051-00 IBM Selectric

KEY-1050-00 IBM Standard

8 Slot

640K

Motherboards 🌋

Single key reset Separate numeric keypad Separate "Arrow"

#### 300/1200 Baud Auto Dial - Internal

We included every feature you would want in a modem card. It's FCC registered for direct connection to your modular phone jack with the cord included. There is a separate modular jack for your telephone so you can isten through the on-board speaker. The Auto-Dialer works on rotary lines, tone lines, or a combination of both, and will pause for use with Sprint or MCII MOD-8720-00.



Power Supplys



BM-type, best price in Computer Shopper with one

POW-1040-00 135 watt \*89°

POW-1044-00 150 watt\* \*1150 Add-On 10 Meg Tape

SUB-8300-00 \*548\*



Add-On 20 Meg Tape

your IBM PC, XT, or AT needs a little help in the Back-up tegory, you won't be able to beat this price! Back-up of meg in 15 minutes. Cables, software and \*595°

Multifunction

SUB-8400-00

7 PAK

 1 Std, 1 opt Serial Parallel Port
Game Port

Clock/Calendar

This was designed to accompany our world-famous TURBO Motherboard. Includes cables & manual. \$165° BOA-6058-00 Supplied with DK . \*195°° BOA-6078-00 TURBO with DK . \*295°° BOA-6250-00

Micro **D**roducts

of 64K or z rows or 2001...
or a 640K TOTAL! The eight expansion slots are spaced at 3/2". Our **TUREO** version is a high quality 4-layer PC board with dual clocks @ 4.77MHz & 6.67MHz, increasing your throughput by almost MHz!

714/898-0840 Fax: 714/897-3363

nternational Telex: 887841 XORDATA HTBH 15392 Assembly Lane, Unit A • Runtington Beach, CA 92649

### HabaWriter Word continued from page 187

menu which is fairly conventional. You can search and replace as desired and find most any text you want. You can jump up and down pages at a time or just jump to any page you wish. Naturally, there are windows for each selection to ask the appropriate questions and safe guards.

#### Format Menu

The Format menu shown in Figure 8, contains the set up for the document for margins, tabs, page breaks and pagination. There are also alignments left, right center and flush. You can then format a single paragraph or the whole document. The formatting is quite fast also.

One problem I have not been able to answer is wanting to double line a document automatically. When writing articles for magazines, you are requested to double line the printing for editing purposes. To do this, I had to go back and manually do the task. This seems to be a fundamental deficiency with the Hab-Writer. I hope to find something buried in the operation that will let me do this.

#### Style Menu

Figure 9 shows the Style menu which allows for Plain Text, Underlined text and Bold text. As it comes with Epson printer set up and I have an Epson, there was no difficulty with performing a document print or even using Atari's ALT-HELP screen dump capability. One item that is noted is that when using a color monitor, the underline operation does not show up on the screen but does on the printer.

The other problem that I detected is that normally you can switch back and forth betweem bold and plain text just by selecting the style and then reformatting the document. For the case where I inadvertently got into the Underline mode and typed several pages in that mode. I was unable to eliminate it from my printing. I finally just junked the first effort and started over. I have been afraid to experiment with the underline mode since. I would suggest you be cautious in this area. Even after this, I got back into it and not by selecting it. It might be due to doing screen dumps or something not normal to word processing. I'll keep digging because Haba puts out good software and I must be doing something abnormal.

#### Print Menu


Finally comes the Print

menu. Figure 10 presents the four items which are Print Document, if selected Print Block, Print Options which are the number of lines per page and such and then the Printer file which now contains a file for the Epson. I haven't tried to investigate how you set it up

for other printers as mine is an Epson and I'm not too interested.

#### Shortcuts

After you've used the menus for a while, you find it takes a little longer than you'd like to flip back and forth to the menus so Haba has provided an excellent interface with the FUNCTION key to do the menu jobs. After you press the HELP key you can see Figure 11 which presents the matrix of Function keys in combination with Shift, Control and Alternate keys to perform all of the menu functions. I suggest you pull in the shortcut with the Help key and get a screen dump with the Alt-Help keys and tape the dump near your keyboard. As I get used to the Function matric, I find I can move through a document continued on page 189




Desk File Edit Search Fornat Style Print


Hargins Tabs Ruler Page Break Paginate


Align Left Align Right Align Center Valign Flush

Fornat Paragraph Fornat Document

FIGURE 8
Format Menu













FIGURE 4 HabaWriter Edit Menu







5. A killer Alpha duel.

learns from its experiences.

Alpha and Beta creatures.

6. A Beta creature which

7. A killer Beta creature.

8. A mixed community of

In addition to all those dif-

ferent combinations, Dave

Heiserman has shown how to

give the creatures special en-

vironments such as mazes and

how to collect data on their

I have to say that I have read

a number of Dave Heiserman's

books including, "Radio Astronomy for Amateurs," and

"Experiments In Four Dimen-

sions," and have found that his

books have lead me down

paths which are always run-

ning over interesting and new

territory. After I had the

chance to study the subject of

artificial intelligence using

Dave Heiserman's programs on

responses.

#### **Robot Intelligence** continued from page 69

change in its movement pattern. Once the way is clear, it will start moving again and continue moving in the same direction until it runs into another barrier.

The first book, "Robot intelligence," was written when the TRS 80 computer was highly popular and the programs are written in Basic with that machine in mind. The second book, "Projects In Machine Intelligence," is the sequel to the first book. This book has programs in TRS-80 and Applesoft Basic and the Applesoft Basic programs can be used with some modifications by Commodore and Atari owners. I would suggest that for best results the Atari owner use Basic XL or Microsoft Basic for the programs.

I bought the book "Projects in Machine Intelligence For Your Home Computer" first because of the Applesoft program examples it had, but the first book, "Robot Intelligence," has more about the theory of artificial intelligence and how to implement testing procedures to measure the creatures' response to its environment.

After you are able to create a simple Alpha creature you can then use the same subroutines in larger and more complex programs to increase the scope of the study. This modular concept allows you to load in a previously created program and then modify that program to a higher level. You will be creating a number of different creatures and environments which will include:

- 1. A fundamental Alpha creature which reacts to its environment but does not learn from experience.
- 2. A killer Alpha creature which may attack and destroy any other creature it meets.
- 3. A simple Alpha creature community.
- 4. A killer Alpha creature in a community of non-killers.

#### HabaWriter Word continued from page 188

about as fast as I can think and

One of the nice features is being able to jump to the top, bottom, left and right of a line or the full page. This is done by the CLR HOME and arrow keys. Press Clr-Home ONCE followed by any arrow and you move in that direction, i.e., to beginning or end of line or up or down one screen page of 18 lines. Pressing Clr-Home Twice then the arrow, you jump to the top or bottom of the document or to the full "edge of the paper" I got a lot

example, when I see a sow bug crossing my back yard I don't feel it thinks, "What a nice day! I think I'll walk on over to the flower garden today.", but really thinks more like, "Walk, walk, walk," (BUMP) "What the hell is that?? Turn, turn, walk, walk," (BUMP) "What the hell is that? Turn, walk,", etc. I have included a short Alpha creature program in Atari Basic to demonstrate the basic concept and to assist you in converting the programs in the book from Applesoft to Atari Basic. I would suggest that for the most enjoyment of this new field of study you should purchase both books. For a total of \$22.00 you will gain insight into a new and exciting subject and receive more pure creative enjoyment than you will get from any \$25 or \$40 game. Perhaps some day you will even write a paper on teaching Beta creatures how to sional houses!

my Atari computer, I also changed my perception of low build their own two dimenlevel animal intelligence. For 10 RFM FUNDAMENTAL ALPHA DEMO
15 REM DOS TITLE "ALPHA1"
20 CLR
25 REM FROM PROJECTS IN MACHINE INTELLIGENCE FOR YOUR HOME COMPUTER
28 REM BY DAVID HEISERMAN
30 GOSUB 1000
119 REM \*\* INITIALIZE ALPHA POSITION\*\*
120 LET PM:12+INT(S\*RND(1))-2:PY:12+INT(S\*RND(1))-2
124 REM \*\* ALPHA MOTION CODE \*\*
125 CI=INT(S\*RND(1))-2:CJ=INT(S\*RND(1))-2:IF CI=0 AND CJ=0 THEN 125
130 GOSUB 2000
135 POKE 752,1
140 POSITION PX,PY:PRINT ""
150 POSITION PX,PY:PRINT ""
151 POKE 752,1
152 GOTO 130
155 GOTO 130
160 REM 154 POKE 752,1
155 GOTO 130
160 REM
165 REM
160 REM \*\*\* CREATE THE BORDER\*\*\*
1005 GRAPHICS 0
1010 PRINT \*\*
1021 LET N=N+1
1025 IF N>=15 THEN GOTO 1050
1018 PRINT \*\*
1025 IF N>=15 THEN GOTO 1050
1018 PRINT \*\*
1019 PRINT \*\*
1055 POSITION 10,17:PRINT \*\*BASIC ALPHA DEMO\*\*
1055 POSITION 2,18:PRINT \*\*FON\*PROJECTS IN MACHIME INTELLIGENCE\*\*
1055 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1058 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1058 POSITION 2,21:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1058 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1059 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1050 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*\*
1050 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*
1050 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*\*
1050 POSITION 2,19:PRINT \*\*FOR YOUR HOME COMPUTER\*\*\*\*
1050 POSITIO 2020 AT-AT-1
2025 IF SI)0 THEN NX=NX+1:GOTO 2035
2030 NX=NX-1
2033 REN XX LOCATE REPLACES APPLE SCRN X,Y FUNCTIONXXX
2035 LOCATE MX,NY,CX
2040 IF AJ=0 THEN 2065
2045 AJ=AJ-1
2050 IF SJ)0 THEN LET NY=NY+1:GOTO 2060
2053 NY=NY-1
2050 NY=NY-1

of use out of this feature.

Another nice little feature is that you can move the cursor with the "I" mouse just by locating it and doing a one-click.

#### Conclusion

Overall. I like the HabaWriter Word Processor. It has all of the features I need except for the lack of double line draft presentation. If I

conquer the underline problem I'll have a very respectable word processor. At a list price of \$74.95, it is quite nice. When the Speller becomes available and shows compatability and usability, I expect I'll make the HabaWriter my basic word processor.

For further information contact: Haba Systems, Inc., 6711 Valjean Avenue, Van Nuys, CA 91406.

#### **Chassis Menagerie** Call for our FREE Catalog - 100's of items CALL 714/898-0840 or write

#### XAT by XOR System Cabinet / Power Supply






Put your AT compatible motherboard in this good-looking **XAT** system cabinet. Key-lock On-Off switching with front panel access to three half-height peripherals. Behind the panel mounting for one or two hard disks. Color/Finish: Grey beige enamel. Dimensions: 6.25" x 21" x 16" \*145\*

A perfect match to the **XAT** cabinet, this 200 watt switching power supply is equipped with four DC power connections to hook-up all those peripherals. One year warranty. \*180\*

#### **XPC by XOR System Cabinet / Power Supply**





r already famous **XPC-XT** cabinet has an 8-slot back panel with additional cut-outs for two -232 I/O ports. Features mounting for up to four half height peripherals, standard slide-off-thent top piece, solid, molded front bezel, and heavy gauge steel. tront top piece, CAB-6068-00

Choose a 135 watt or a 150 watt power linear power supply with side-mount On-Off switch and quiet DC cooling fan. 115/230 VAC, 50/60 Hz.

135 Watt POW-1040-00 150 watt POW-1044-00 1150 watt POW-1044-00 150 watt POW-1044 \*115° 135 Watt POW-1040-00

#### XTjr. by XOR System Cabinet







The **XTJr.** cabinet is only  $3" \times 16.5" \times 15"$  yet it will hold a standard XT compatible mother-board. A special extender card BOA-5068-00 is used in the 5th slot to allow up to four add-on boards mounted horizontally in the cabinet. Two additional cut-outs are supplied for serial l/c cabinet price includes a switching power supply. Front panel cut-out for a half-height floppy hard disk. AC switch and AC outlet for monitor on the rear panel. CAB-5068-00 w/P.S

#### XTC by XOR System Cabinet / Power Supply





The XTC cabinet is perfect for industrial and in an enginnering Ine XTC cabinet is perfect for industrial and in an enginnering environment. Hinged door panels on both sides (removeable) allow easy access to components within. Also, a perfect system cabinet for the system integrator wanting to get away from the standard PC look. Front mount AC switch, cut-outs for three half-height peripherals and mounting behind the panel for a full-height hard disk or 1 or 2 half-height hard disks. Will accept mounting of the XT, XTURBO, and XBC motherboards 8-slot panel with two additional cutouts for serial I/O.

CAB-7068-00 assembled

e switching power supply is a 135 watt unit that mounts in the top rear ed cooling capability. Includes four DC power connectors for peripher \*95° POW-1045-00

#### **Add-On External Cabinets**







Add-on a floppy, tape back-up, or up to 33 meg of hard disk (half-height). The rear panel has a universal AC input outlet, AC switch, and an automatic 110/220 VAC 50/60 Hz switch for easy configuration. Four cut-outs for ribbon cables are also provided. Switching power supply is included with cabinet and comes pre-installed and tested. Color: Grey beige, DC outputs: +5v @ 5.0

amps, +12vg/1, 5 amps.

This unit features a heavy duty linear power supply that has enough power to drive most any hard disk/tape back-up combo. +5v @ 5 amps, +12v @ 2.5 amps, and 110/220 VAC-50/60 Hz ½. Height w/PS CAB-6020-00 \*125°° Full Height w/PS CAB-6050-00 \*125°° 1/2 Height w/PS CAB-6020-00

#### **Dual Half-Height Cabinet**





The one you've been waiting for! Floppy/Tape or dual Floppy, or Hard Disk/Tape, whatever combination you choose. Self-contained power supply with two DC connectors provided. Universal AC input, AC rear switch, and cut-outs for any combination of ribbon cables. Sturdy metal case painter in standard matching colors: Grey beige. 3.0 " x 15.5 " x 10.3 " CAB-6040-00 asse \*135°°

Micro **D**roducts

714/898-0840 Fax: 714/897-3363

nternational Telex: 887841 XORDATA HTBH 15392 Assembly Lane, Unit A • Huntington Beach, CA 92649

#### Trivia Mania continued from page 185

- 3) Eating
- 4) Hammer throw
- Q. Most popular hobby in America:
- 1) Photography
- 2) Stamp Collecting
- 3) Coin Collecting
- 4) Drinking

(Answers to above are #1 and #2 respectively, for those just dying to know.)

#### Playing The Game

Trivia Mania can be played by one to four players, but I doubt many will be using the one-player option. A trivia game is definitely a social type of entertainment; the more players that particate, the

more exciting the game. Unfortunately, Trivia Mania falls with the two, three and four player options as well. Rather than taking turns answering questions, each player must answer a group of 25 (for a four-player game), 33 (for a three-player game) or 50 (for a two player game) questions-all in succession. That player then gets his score and is finish-

4 Drive w/Cable

Super XT 16 Motherboard

(AT Compatible) 192 Watt

EXPANSION-MASTER CHASSIS for XT or AT. 100 WATT P.S. with fan. 5 Expansion slots

\$29500

Card w/Clock

**IBM-COMPATIBLE CARDS** 

Monochrome Graphics ...... \$ 8450

384 Multifunction ..... \$ 9450

Printer Card ...... \$ 2950

Color Graphics Card ..... \$ 7450

w/256K Ram ...... \$19900

w/0K Ram \$15800 Power Strip \$ 1250

AT Compatible Case ..... \$ 8950

AT Compatible Keyboard ..... \$ 8950

(Hercules Compatible) and Printer Card

ed. The next player then answers his lot of questions, and so forth. The competitiveness of the trivia game has been effectively destroyed, and this is Trivia Mania's greatest fault. Nobody wants to wait around while other players answer 25, 33 or 50 questions in a row. The game would have been infinitely better if players took turns answering one question at a time.

#### **Documentation**

The 12-page instruction booklet describes the game well, but is confusing on the subject of using the editor to create your own trivia databases. For example, one section says that "you are allowed to index our existing databases" and proceeds to explain how to start the indexing procedure Yet the instructions fail to mention what indexing does for you or why you would want to do it.

#### Conclusions

While Trivia Mania offers

Requires: Atari 800/800XL/130XE Program Author: Jan Iverson

Price:

Warranty:

90 days, free replacement

**XLENT Software** P.O. Box 5228 Springfield, VA 22150

\*Poor, \*\*Fair \*\*\*Good, \*\*\*\*Excellent

\* \*

Practicality

Value For Price

#### **GIGANTIC SALE!!!** CENTURIAN ENTERPRISES

TMS 9901 - \$ 5(1) TMS 9918 - \$ 9(1) \$27(3)

(805) 544-6616

the unique feature of adding your own trivia data, the method of game-play is dull. The excitement of a multiplayer Trivial Pursuit game just isn't here. XLENT Software can still use those 1800 trivia questions--perhaps with an improved program that would allow real multi-player participation.

\$29.95

Manufacturer:

(703) 644-8881

Ratings For Trivia Mania

Design

Documentation

Average

**NEW PRODUCTS!** 

#### **COMPACT FLOPPY DISK DUPLICATORS**

One Button Operation
The twin duplicators require only one button to be depressed: START, to start formatting, copying and verifying.

\$995

All commonly used floppy disk formats are contained in the internal ROM software. The machine duplicates disks automatically analyzing their formats track-by-track.

CGG CARD. \$9900 (COLOR GRAPHICS/MONOCHROME/PRINTER CARD) COLOR GRAPHICS/MONOCHROME/PRINTER CARD)

• TTL/Composite level outputs

• 40 x 25 low resolution or 80 x 25 high resolution

• 16 foreground and 8 background colors

• 16K bytes display memory

• 320 x 200 (color) and 640 x 200 (B/W) resolutions in APA mode Centronics printer port Printer port address selectable (LPT1/LPT2) - Light pen

• Monochrome (8 x 8 charactor box) on monochrome (TTL) monitor \$9950

384-PLUS MULTI FUNCTIONS CARD)

• Up to 640K RAM on board

• Parallel printer

• Clock/calendar

rial port (optional 2nd serial available)

Serial port (optional zito serial available)
Spooler
IOF CARD
(MULTI-I/O CARD)
One EIA-RS232C port (Sockets for optional 2nd EIA-RS232C port)
One Centronics parallel printer port
Clock/calendar
Sat/rotrieus clock program

Clock/calendar
Set/retrieve clock program
Game port
Controls 2 half height 5-1/4" DSDD floppy disk drives
PC 90 Super XT16 motherboard
Capability of 640K on board (RAM extra)
PC 92 X Turbo Motherboard
Capable of 6.77 Mhz operation, potential of 640K on board (RAM extra)

SEI-1200

THE BEST HAYES COMPATIBLE

MODEM WITH THE MOST RELIABLE QUALITY
0-300, 1200 bps, Bell 103, 212A
Hayes Smartmodem 1200 Compatible (Works with Smartcom™, Crosstalk™,

PC Talk)
Auto speed selection (0-300, 1200 bps)
Auto dial, auto answer (tone or pulse)

Switch selectable

Auto dial, auto Status indicators Status indicators Speaker volume control \$15950





**IBM** Compatible 135 Watt. Back & Side Switch Model \$8500

**IBM COMPATIBLE CASE Back Switch or** Side Switch Hinged Flip Top

**\$5600** 







Manufacturing & Trading Co. 4505 Ratliff Drive Addison, Texas 75001

214/931-7181 SATISFACTION GUARANTEED

**New Items Are Available Weekly Call For All Your IBM Compatible Requirements** 

**Higher Quality at Lower Cost!** Dealers & Distributers Inquires Welcome! We Are Never Knowlingly Undersold!





Front Panel Selector Knob provides convenient control of Multi-Display Function 14" Full Color, Green or Amber

\$34900

12" MONOCHROME MONITOR Complete with tilt and

swivel base. TTL Unit -Green or Amber

\$9900

**83 Key \$59**50

**COMPATIBLE BY 33%** 

replaces the 8088 in your system. No compatibility problem.

\$2150



